Subject Index

A
Abrupt withdrawal 55
Acetylcholine 307
Acetylpromazine 107
Activity 311
Acute methadone 299
Adaptation 67
Adrenergic blockers 201
Age 311
Aggression 231, 279
— Socially induced 17
Aging 251
Agonistic behavior 31
Alcohol 231, 311
Alternation 123
Amphetamine
— potentiation of 87
d-Amphetamine 123
— toxicity 173
dl-Amphetamine 271
Analgesia 213
Anesthesia 307
Anticholinergics 73, 93
Anticholinesterase 263
Anti-muscarinic drugs 7
Antinociception 7
Antiparkinson drugs 165
Anxiety 79, 103, 129
Apomorphine 115, 217, 291
Appetite 73
Arousal 223
Aspartic acid 181
Atropine 93
Attack 231
Attention 47, 299
Avoidance 157
— passive 93
Azaperone 107

B
Baclofen 217
Behavior 279
— genetics 119
Benzodiazepines 93
Bicyclic antidepressants 177
Body weight loss 55
Brain 243
— levels 181
Brom-LSD 291
γ-Butyrolactone 217

C
Catalepsy 7
Catecholamines 177
Cats 35
Central nervous system stimulant 251
Centrally acting drugs 243
Cerebrospinal fluid 35
Cigarette smoking 223
Circadian 41
Cholinergic 307
Cholinesterase inhibitor 307
Chlordiazepoxide 93, 191
Chlorpromazine 17
Chronic methadone 299
Chronic treatment with ethanol 111
Circling behavior 123
Clomipramine 25
Clondine 291
Cloxazolam 17
Cocaine 115, 185
Cognition 251
Computer model 41
Conditional discrimination 191
Conditioned taste aversion 63
CS-386 17
Cyclic nucleotides 243
Cyproheptadine 87

D
Deanol 257
Defense 231
Depression 73, 103
Dexamethasone 76
DFP 263
Diazepam 1, 17, 79, 129
3,4-Dihydroxyphenylacetic acid 137
3,4-Dimethoxyphenylalamine (DMPEA) 157
Dimethyltryptamine 137
Disinhibition 93
Dopamine 7, 195, 291
— autoreceptors 217
— metabolism 137
— release 137
L-Dopa 213
Dopaminergic mechanism 115
— systems 165
Driving ability 103
Drug interactions 1, 307

E
Early handling 173
Electroconvulsive shock 195
Experimental design 79
Escape 93
Ethanol 31, 41, 67, 111, 201
Exploratory behavior 271
Extrapharmacological factors 227

F
Fighting 231
Fixed interval 191
Flight 279
Fluid consumption 41
Flurazepam 191
Free recall 223

G
GABA 145
Gnaw compulsion 115

H
Habituation 67
Halazepam 129
Hallucinogens 291
Haloperidol 217
Health questionnaire, Middlesex 103
Hole-board 271
Homovanillic acid 35, 137
Human learning 283
Human subjects 1, 25, 47, 73, 103, 129, 223, 239, 251, 257, 283, 299
5-Hydroxyindoleacetic acid 35
5-Hydroxytryptamine 177, 195
5-Hydroxytryptophan 213
Hypothalamus 177
Hypothermia 55

I
Imipramine 17
Incidental memory 223
Indolamines 177
Intoxication 227
Intraperitoneal 123
Intraventricular 123

L
Lead 279
Learning 47
Lithium 307
— chloride 63
Locomotor activity 145
Locus coeruleus 151
LSD 291

M
Marihuana 47, 227, 239
Mass fragmentography 25
Maternal behavior 173
Medazepam 103
Memory 1, 239, 283
— assessment 239
Mescaline 157, 291
Methadone addicts 299
α-Methyl-para-tyrosine 213
Methylphenidate 251
Methysergide 87
Mice 31, 41, 115, 119, 123, 145, 165, 181, 185, 201, 213, 217, 243, 279, 291
— strains of 31

Midbrain raphe nuclei 151
Monkeys 17
Monoamine oxidase 111
— inhibition 137
Monoamines 73
Mono-demethyl-clomipramine 25
Morphine 7, 63, 97, 151, 181
— dependence quantitation 55
— ingestion 119
Motor effects 191
Muscarinic drugs 7

N

Naloxone 55
Nervous system 279
Neuroleptics 291
Neurotics 129
Noradrenaline 177
Norepinephrine 291

O

Offspring behavior 311
Open-field behavior 107
Operant behavior 97
Oxazolam 17

P

Parachlorophenylalanine 213
Pargyline 97
Passive avoidance 93
Pentobarbital 97
Peripheral drug effects 251
Perseveration 123
Physostigmine 1, 307
Pigeons 97, 191
Pilocarpine 263
Pimozide 217
Plasma 25
— concentration 73
Platelet 73
Postnatal exposure 31
Potentiation of amphetamine 87
Precipitated withdrawal 55
Pregnancy 311
Prenatal exposure 31
Probenecid 35
Propranolol 47, 201
Psilocybin 291
Psychological test performance 251
Punishment 93

Q

Quipazine 291

R

Rats 7, 55, 63, 67, 87, 93, 111, 137, 151, 157, 173, 177, 195, 231, 263, 271, 307, 311
Reaction time 79, 299
Recall memory 239
Recognition memory 239
Reinforcement 63
Reserpine 291
Retrieval 283
Reuptake blockade 177
Running response 185

S

Saccharin 119
Scopolamine 1, 283, 307
Sedation 73
Self-administration 151
Self-stimulation 87, 177
Sensitization 185
Sensory effects 191
Serotonin 291
Sheep 107
Shuttlebox 157
Sleep 145
Social investigation 279
Spinal subarachnoid space 35
Spiroperidol 201
Spontaneous activity 201
Stereotyped behavior 271
Stimulation 185
Storage 283
Stress 243
Subjective drug effects 47
Submission 231
Subsensitivity 263
Subtantia nigra 151
Suppression, socially induced 17
Sympathomimetics 97

T

Tandamine 73
Tardive dyskinesia 257
Taste aversion, conditioned 63
Tetrahydrocannabinol 239
Theophylline 213
Tolerance 67, 97, 213
Toxicity 307
Tremor 165
Tremorine 213
TRH 145
Tyramine pressor response 73

V

Visual sensitivity 299

W

Water intake 263

Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

Preparation of Line Drawings

Illustration copy should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. Where reduction is necessary, please state the desired scale.

Drawings are to be twice the final size and executed in indelible black ink.

Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.

Words should be in upper and lower case characters, not CAPITALS.

The following are optimal sizes as they appear in the journal:
Capital letters and numbers: 2 mm
Lower-case letters: 1.6 mm.



①





②

samples 1 to 5 show the original size and reduction × 50%

③



④

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

Selection of Illustration Material for Halftones (photographs, micrographs, X-rays, instrument traces etc.).

Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. But if reduction is absolutely necessary, please state the desired scale.

Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations that are to appear together are mounted accordingly as plates and that they correspond. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations. Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.



Carlsberg Research Communications

Editorial Board: H. Holter · H. Klenow · E. Lund

Subscription Information
Volume 42 (6 issues) will appear in 1977. Sample copies available upon request.

North America
1977. US $44.80, including postage and handling. Subscriptions are entered with prepayment only.
Send your order or request to your bookseller or to:
Springer-Verlag New York Inc.,
175 Fifth Avenue
New York, NY 10010

All countries (except North America)
1977: DM 100,–, plus postage and handling. Send your order or request to your bookseller or to:
Springer-Verlag
P.B. 10 52 80
D-6900 Heidelberg 1

Published by
The Carlsberg Laboratory,
Copenhagen
Distributed by
Springer-Verlag
Berlin Heidelberg New York

Heinz Holter, Hans Klenow, Ebba Lund, editors
Martin Ottesen, Diter von Wettstein, Carlsberg Laboratory
Erik Zeuthen, Biological Institute of the Carlsberg Foundation

Carlsberg Research Communications are the continuation of Comptes Rendus des Travaux du Laboratoire Carlsberg which has been published since 1878. The previous volumes of the journal contain the results of the work carried out at the scientific institutions of the Carlsberg Foundation. Through this journal were made known e.g. Kjeldahl's method for nitrogen determination, S.P.L. Sørensen's concept of pH, Schmidt's discovery of eel migration, Winge's discovery of sexuality in yeast, and Linderstrøm-Lang's concepts of protein structure and enzyme function.

Also in the future, the Carlsberg Research Communications will inform comprehensively about the scientific work of the Carlsberg research establishments. These include the Departments of Chemistry and Physiology of the Carlsberg Foundation, the Departments of Brewing Chemistry, Biotechnology and Technology of the Carlsberg Research Laboratory. In keeping with established tradition, these laboratories are involved in fundamental and applied research in the fields of biochemistry, cell and molecular biology, genetics, microbiology, plant and animal physiology.

Contents of Volume 41, Number 1-3

J. T. Johansen, K. Breddam, M. Ottesen: Isolation of Carboxypeptidase Y by Affinity Chromatography

Birthe Kramhøft, Susanne B. Nissen, Erik Zeuthen: The Cell Cycle in Heat- and Selection-Synchronized Schizosaccharomyces Pombe

Robert M. Smillie, Knud W. Henningsen, Niels C. Nielsen, Diter von Wettstein: The Influence of Cations and Methylamine on Structure and Function of Thylakoid Membranes from Barley Chloroplasts

Steffen Strøbæk, Gregory C. Gibbons: Ribulose-1,5-Diphosphate Carboxylase from Barley (Hordeum Vulgare). Isolation, Characterization, and Peptide Mapping Studies of the Subunits

Jack T. Johansen: Isolation of Human Carbonic Anhydrase B and C and Apocarbonic Anhydrase by Affinity Chromatography

Leif Rasmussen, Eduardo Orias: Dual Capacity for Nutrient Uptake in Tetrahymena Importance of the Oral Uptake System for FE and CU Uptake

Finn Schmidt, Bent Stig Enevoldsen: Gel Filtration Chromatography of Oligosaccharides. Comparative Studies of a-1,4, a-1,6 and a-1,4:a-1,6 Linked Oligosaccharides Composed of Glucose

Ib Svendsen: Buoyant Titration of Bovine Mercaptalbumine Chemically Modified at the Carboxyl Groups

Kaye Brock, C. Gamani Kannangara: Properties and Morphology of Barley Embryo Acetyl CoA Carboxylase

Ib Svendsen: The Hydrolysis of the Three Clupein Components by Subtilisin Novo, Subtilisin Carlsberg and Nitrated Subtilisin Carlsberg

Leif Rasmussen: Nutrient Uptake in Tetrahymena Priformis

5001.41

EUROPE:
Now you can search ISI® data ON-LINE through ESA-SDS

You now can have immediate access via the ESA-SDS computer to 1,300 of the world's most important physics, chemistry and engineering journals—the same journals covered in the *Science Citation Index®*, *CC®/Physical & Chemical Sciences* and *CC/Engineering, Technology & Applied Sciences*.

Whether you're interested in—

- current awareness
- selective dissemination of information
- retrospective searching as far back as 1972

—the ESA-SDS computer will search the ISI data, find the information you want and deliver it *fast*.

All you need for this quick, on-line searching is a teletype or video-display terminal. You dial a number and are linked to the ESA-SDS central computer in Frascati, Italy.

ESA-SDS may be accessed by direct line with Frascati or by dialing through the PTT network to London, Brussels, Paris, Copenhagen, Darmstadt, or Rome. You can also dial via PTT lines to TYMESHARE in Brussels, Paris, Lausanne, London, or The Hague.

Find out more about how ISI data and ESA-SDS can make your literature searches faster, easier and more effective than ever before.

Mail the coupon below. Or contact David Raitt at the Space Documentation Service, ESA-SDS, Via Galilei, 00044 Frascati (Roma), Italy. Tel.: (Rome) 94 22 401; Telex: 61637 ESRINROM. Do it today.

☐ EUROPE ☐ EUROPE ☐ EUROPE ☐ EUROPE ☐

EUROPE ☐ EUROPE ☐ EUROPE ☐ EUROPE ☐ EUROPE ☐

I would like to learn more about the ISI® data base accessible through ESA-SDS.

Name_____
(Please print or type)

Organization _____

Position _____

Address _____

_____

Country _____

Telephone _____

SP-487

ISI® Institute for Scientific Information®
European Office
132 High Street, Uxbridge, Middlesex, U.K.
Tel: Uxbridge 30085. Telex: 933693